

CNC ROUTER ▶ CNC MILLING MACHINE
CNC PATTERN MACHINE ▶ LASER ENGRAVING

RTS-1530



RT-1325s



RT-1325 ATC



RTP-1530



For Immediate Assistance & Live Demo
+91 97120 32399 / +91 95740 75954



www.cncrouterengraving.com

Wood Engraving & Cutting

RT-1325



RT-1325s



TECHNICAL SPECIFICATIONS

Model	RT: 1325 Servo	RT: 1325 Stepper
Working Table (X,Y,Z),	1300 X 2500 X 250 mm	1300 X 2500 X 200 mm
Working Accuracy	+ 0.05 mm	+ 0.1 mm
Spindle	6 kW (Air cool HSD-Heavy)	4.5 kw (Air cool)
Max Rapid Travel Rate	30,000 mm/min	20,000 mm/min
Spindle Speed	0 - 18,000 RPM	0 - 18,000 RPM
Driver Motor	Servo (Japan Make)	Stapper Motor
Table Surface	T-slot	T-slot
Guide Rail	25 mm Rail	20 mm Rail
Command	G- Code, HPGL	G- Code, HPGL
Working Voltage	AC 380v / 60HZ	AC 380v / 60HZ
Drive Motor	Servo (Japan Make)	Stepper
Command	G-code, HPGL	G-code, HPGL
Control System	PCI base controller	PCI base controller

Note: AC 380v/3PH Power Supply will be applicable for 6KW spindle and above.
above all specification are subject to change without prior notice.



www.cncrouterengraving.com



Stone Engraving & Cutting

RTS-1530



TECHNICAL SPECIFICATIONS

Model	RTS: 1530
Working Area (X,Y,Z),	1500 X 3000 X 400(600) mm
Table Size	2800 X 4500 mm
Spindle	6.5 KW Water Cooling Spindle
Travelling Positioning Accuracy	+ 0.05mm
Repositioning Positioning Accuracy	+ 0.05mm
Table Surface	Aluminium Section (T Slot)
X,Y,Z Structure	X, Y Gear / Z - Ball Screw
Max Rapid Travel Rate	30,000 mm/min
Max Working Speed	25,000 mm/min
Drive Motor	Servo (Japan Make)
Command	G-code, HPGL
Working Voltage	AC 380v/50 HZ
Control Cabinet	Independent Cabinet
Control System	PCI base controller

Note: Above all specifications are subject to change without prior notice.

We Welcome
the Inquiry For
Customize
CNC Router
Any Size
Any Capacity

Special for
Pattern Making Machine

RTP: 1530



TECHNICAL SPECIFICATIONS

Model	RTP: 1530
Working Area (X,Y,Z),	1500 X 3000 X 600 mm
Table Size	2000 X 3200 mm
Traveling Positioning Accuracy	+ 0.05mm
Repositioning Positioning Accuracy	+ 0.05mm
Table Surface	By Wooden / Alu. Section
Spindle	13.5 KW HSD Italian Spindle
Drive Motor	Servo (Japan Make)
Command	G-code, HPGL
Working Voltage	AC 380v/50 HZ
Control System	PCI base controller




Dust Collector

- Optional Items**
- ▶ Dust Collector
 - ▶ Servo System
 - ▶ CNC Router Tools Bit
 - ▶ CNC Router Machine Service (All Company)



Manufacturing and market by:

 **RAGHAV TECHNOLOGIES**
38, Alok Estate, Bh. Gujarat Vepari Maha Mandal,
Odhav, Ahmedabad-380015. (Guj.) INDIA.

M : +91 97120 32399 ; +91 95740 75954
E : raghavtechno.cnc@gmail.com
W : www.cncrouterengraving.com

Distributors

